



**ZONE BUTTON**

**LAUNCH INFO**

# What is ZONE BUTTON

It features:

Time Recording Terminal  
for the future

- Integral card reader
- Compact size
- Four illuminated touch buttons
- Backlit LCD screen
- will work with DOX Controller or as a 'stand-alone' Power-over-Ethernet device (PoE)

# Comparison chart

## Zone Button



- LCD Screen
- 4-capacitive keys
- Integral card reader
- Auxilliary Wiegand input
- No PIN capability
- RS-485 connection to DOX  
- or -
- Direct ethernet connection to Event Collect
- Multiple category selection via intuitive selection

## Zone Touch



- LCD Touch Screen
- Card reader, external or integral in 'dual' unit
- Wiegand card input direct to DOX
- PIN capability on screen
- RS-485 connection to DOX
- Multiple category selection via touch screen

# Key buying factors

- Lower cost than DOX Console (now Zone Touch)
- More compact due to integral card reader
- Stand-alone TT variant, an alternative to DOG20 (in some cases)
- Direct connection of auxiliary Wiegand readers (biometric)

The future platform for the eventual replacement of DOG20

# Rebranding

Before		Now	
Name	Product Code	Name	Product Code
Dox Console	TSTD0XCSL	Zone Touch	TSTD0XCSL
Dual Dox Console	TSTD0XCSL-I, P, L, H	Zone Touch with I, P, L, H... reader	TSTD0XCSL-I, P, L, H
		Zone Button DX with iClass reader	TSTD0XZ1B-I
		Zone Button DX without reader	TSTD0XZ1B-N
		Zone Button TT with iClass reader	TSTZ1B-TT-I

# Concept - DOX + Zone Touch



Zone Touch  
(RS-485) **OR**

Reader  
(Wiegand  
to DOX)



Zone Touch  
(RS-485)  
+ Reader  
(Wiegand  
to DOX)




Controller

# New Concept – DOX + Zone Button

Zone  
Button



RS485




Ethernet  
to Event  
Collector


Wiegand




# New Concept – Zone Button



# Interfacing diagram



# How it Works



'Pick & Promote' system

Multiple event selection using  
ONLY 4 keys

TIP - 'cluster' event types per  
button (i.e. Arrivals on button 1,  
departures on button 2, etc.)



ŠPICA INTERNATIONAL D.O.O.  
POT K SEJMIŠČU 33  
SI - 1231 LJUBLJANA  
SLOVENIJA  
T. +386 1 568 08 00  
F. +386 1 568 08 88  
WWW.SPICA.SI  
WWW.SPICA.COM

For further information:

E-mail: [zone@spica.com](mailto:zone@spica.com)

Call the ZonePhone: +386 568 0800

[www.spica.com/zone](http://www.spica.com/zone)